

*CLAIM AMENDMENTS*

1. (Currently Amended) A method of chemosensitizing tumor tissue comprising administration of a chemotherapeutic agent and a composition comprising cationic liposomes which consist of cationic lipid, phosphatidylcholine and cholesterol and having encapsulated therein as least one oligonucleotide, wherein said oligonucleotide targets raf- comprises the formula 5'-GTGCTCCATTGATGC-3' (SEQ ID NO:1) and wherein the chemotherapeutic agent is selected from a group consisting of mitoxantrone, cisplatin, epirubicin, and Gemzar.
2. (Currently Amended) The method of claim 1, wherein the oligonucleotide ranges in size from 10 to 40 nucleotides and is phosphorothioated at only the end nucleotides.
3. (Previously Presented) The method of claim 1, wherein the oligonucleotide comprises 10 to 40 nucleotides and all of its bases are phosphorothioated.
4. (Previously Presented) The method of claim 1, wherein the oligonucleotide comprises 10 to 40 nucleotides, wherein all of its bases are modified in a chimeric form.
5. (Previously Presented) The method of claim 1, wherein the oligonucleotide is - administered intravenously.
6. (Previously Presented) The method of claim 1, wherein the oligonucleotide is administered directly to the target tissue.
7. (Previously Presented) The method of claim 1, wherein the oligonucleotide is administered into the arterial supply to the target tissue.
8. (Previously Presented) The method of claim 1, wherein said oligonucleotide is an antisense DNA.
9. (Canceled)
10. (Canceled)
11. (Canceled)

12. (Canceled)
13. (Canceled)
14. (Canceled)
15. (Canceled)
16. (Canceled)
17. (Previously Presented) The method of claim 1, wherein the tumor tissue is caused by cancer.
18. (Previously Presented) The method of claim 1, wherein the oligonucleotide is administered before or after the chemotherapeutic agent.
19. (Canceled)
20. (Canceled)
21. (Currently Amended) The method of claim 1, wherein the oligonucleotide is administered before or after a combination of radiation and the ~~a~~-chemotherapeutic agent.
22. (Canceled)
23. (Previously Presented) The method of claim 17, wherein the cancer is selected from a group consisted of leukemia, lymphoma, myeloma, carcinoma or sarcoma.